Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
L1	834	341/145	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/10/22 14:48
L2	765	341/154	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/10/22 14:49
L3	1340	(1 2)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/10/22 14:49
L4	54	3 and potentiometer	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/10/22 14:49
S1	25	potentiometer.ti. and (switch\$3 transistor) with (always permanent\$3 on)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/15 18:40
S3	0	potentiometer.ti. and ((plurality string) adj3 swich\$3)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2004/09/08 20:56

			T		r	T
S4	28	potentiometer.ti. and ((plurality string) adj3 switch\$3)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2004/09/08 21:18
S5	1	"6555996" and (msb (most adj3 bit))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2004/09/09 18:44
S6	27	potentiometer.ti. and (switch\$3 transistor) with (always permanent\$3 on)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/15 18:41
S7	111	(second adj2 reference) and (plurality adj3 (resist\$3 impedance)) and (switch\$3 transistor) with (always permanent\$3 on)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/15 18:42
. S8	. 11 	S7 and potentiometer	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/15 18:42
S10	27222	((permanent\$2 always invariably (all adj times)) near5 switch\$3)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/03 15:52
S11	167	S10 same (parallel near7 (impedance resist\$4))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/03 15:53

	,	· · · · · · · · · · · · · · · · · · ·				
S12	42	S11 and ((plurality two) adj3 (impedance resist\$4))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/03 15:55
S13	5	S12 and (second adj2 reference)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/03 15:56
S14	4	S13 and potentiometer	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/03 15:56
S15	3	(permanently always steadily) adj2 switch\$3 and potentiometer ti.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/26 17:17
S16	180	(permanently always steadily) adj2 switch\$3 and potentiometer	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/26 17:17
S17	8	S16 and "341"/\$	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/26 20:19
S18	4	((impedance resistance) near3 (first adj2 string)) with (bigger greater higher) and "341"/\$	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/26 20:24

	,		r			
S19	2	(permanent\$2 adj2 switch) and potentiometer.ti.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/02/16 17:41
S20	700	341/145	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/21 20:17
S21	117	S20 and (second adj2 reference)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/21 20:21
S22	144	S20 and ((second adj2 reference) ((negative positive) adj2 reference))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/21 20:22
S23	654	341/154	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/22 18:11
S24	166	S23 and ((second positive negative) adj2 reference)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/22 18:14

		* 1		,		
S25	144	341/145 and ((second positive negative) adj2 reference)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/22 18:14
S26	114	(S23 or S24) and 341/159	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/22 18:15
S27	325	S24 or S25 or S26	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/22 18:22
S28	325	S27 and "341"/\$	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/22 18:22
S29	159	341/145 and (plurality adj2 switch\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/22 17:40
S30	9	S29 and bypass\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/22 17:22

	, · · · · · · · · · · · · · · · · · · ·	***	T			
S31	1834	"341"/\$ and (plurality adj2 switch\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/22 19:20
S32	141	S31 and bypass\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/22 17:41
S33	132	\$32 not \$30	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/22 17:41
S34	8292	("341"/\$ "323"/\$ "307"/\$ "327"/\$ "338"/\$) and (plurality adj2 switch\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/22 19:27
S35	244	"323"/\$ and (plurality adj2 switch\$3) and bypass\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/22 19:28
S36	204	"327"/\$ and (plurality adj2 switch\$3) and bypass\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/22 19:28

Antonio de la Proposición de l

S37	28	"338"/\$ and (plurality adj2 switch\$3) and bypass\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:56
S38	6129	((always permanent\$2) near3 connect\$3) and (potentiometer string)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:58
S39	44	S38 and potentiometer.ti.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:58
S40	103320	(miller effect) near6 switch\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/09/07 18:23
S41	85	(miller adj effect) near6 switch\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/09/07 18:38
S42	324	(miller_adj effect) near6 transistor	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/09/07 18:38

	<u> </u>			1		
S43	727	341/154	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/05/10 12:45
S44	796	341/145	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/05/10 12:45
S45	1275	S43 or S44	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/05/10 12:45
S46	221	S45 and (second adj2 reference)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/05/10 12:46
S47	104	S46 and (second adj2 (switch\$3 select\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/05/10 12:48
S48	77	(second adj2 reference) and ((switch\$3 select\$3) near7 (always permanent\$2 constantly) near5 (closed on))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/05/10 12:52

S49	6	S48 and potentiometer	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN	OR	ON	2007/05/10 12:52
			T; IBM_TDB			